



POLICIES & PROCEDURES DURING COVID-19

These policies and procedures are heavily derived from guidance documents produced by the Federal Centers for Disease Control and Prevention (CDC), however, in many instances they have been supplemented or modified to reflect the needs of the participants that are served by congregate day programs in the state of New Jersey.

Dear PrimeTime Center Family,

I hope this finds everyone in our family safe and well. To state that recent times have been challenging would be a drastic understatement. The impact of the challenges brought on by the COVID-19 pandemic have been felt the world over. However, PrimeTime Center believes that there is a light at the end of the tunnel and to that end we have begun making preparations for the initial phase of our reopening.

Included in this manual are changes and protocols PrimeTime Center is taking to help ensure the safest environment possible will be awaiting your (or your loved one's) return. Considering best practice measures, formal guidance from the Centers for Disease Control and the Department of Health, as well as the Department of Human Services and our partners at the Division of Developmental Disabilities, this manual contains the measures which PTC will take upon the announced re-opening of New Jersey Day Habilitation Programs. Please note in our initial phase of reopening, PTC participants that have a higher risk of exposure will be limited. Any PTC participants not able to adhere to the protocols listed in this document may not be able to attend.

As the choice of participating, or not participating, in congregate day services during these unusual times is not a one size fits all decision, the safety and comfort level of PrimeTime Center participants is our top priority. As you read through this information understand that the health and safety of everyone involved with PrimeTime Center is paramount. We want to ensure our stakeholders that we are taking all concerns regarding this crisis extremely seriously. As reopening commences PrimeTime Center will be taking on tremendous responsibility for ensuring the well-being of participants in an environment in which risks are significantly higher and more complex than they were pre-pandemic. It is important to note that, even with prudent steps being taken to reduce the risk of COVID-19 infection, neither PrimeTime Center nor DDD can guarantee that COVID-19 transmission will not occur.

As we also have seen, information pertaining to COVID-19 is constantly changing. PrimeTime Center will review additional guidance as it is made available to us and will contact everyone with updated information and/or recommendations for further measures, should they become necessary. In order to keep stakeholders up to date and informed on all plans regarding PrimeTime Center operations and emergency protocols, PTC will regularly share updates and changes via:

- Program website www.primetimecenter.org
- Email
- Social Media
- Honeywell Instant Alert

If you have any questions or concerns about information in this document or any other topic pertaining to COVID-19, please contact your program supervisor. We truly welcome any questions or suggestions you may have. Your patience and cooperation are appreciated as we are all trying to navigate through this unprecedented occurrence.

Stay Safe & Stay Well.

TABLE OF CONTENTS

Admittance & Screening	pg 4 - 6
Visitation	pg 5
Health & Safety	pgs 7 - 8
Face Coverings	pg 7
Field Trips	pg 8
Transportation	pg 8 - 9
Cleaning & Disinfecting	pgs 9 - 13
Cleaning & Disinfecting After a Suspected/Confirmed Case	pg 13
Exposure Reporting	pgs 13 - 15
Re-Admittance	pgs 15 - 16
Virtual Services	pg 16
Training & Education	pgs 16 – 17
Important Documents	pg 17
Policy Sign Off	pg 18
Appendix	pgs 19 – 31

ADMITTANCE & SCREENING

All PTC participants and staff must be screened daily for fever and symptoms of COVID-19 prior to entry to the program. Individuals will be cleared for admittance to each facility through screening as outlined in the **Residential and Day Program Screening Policy** released by the Division of Developmental Disabilities. If an individual fails the admission screening they will be advised to contact a health professional to set up an evaluation for COVID-19. If a fever greater than 100.3 and other symptoms were present during the screening, PrimeTime Center will require a negative test for Covid-19 and a doctor's note before their return. **All positive COVID-19 diagnosis should be reported to the program supervisor immediately.**

Admission screenings will include questions regarding symptoms/exposure to COVID-19 and temperature checks using temporal thermometers. All thermometers will be sanitized between uses and a record of all screenings will be maintained. Administrative staff or their designees will sign in each staff member and participant upon entry to their building, document temperature checks and survey individuals for warning signs of COVID-19. **Caregivers should be on the lookout for signs of illness and should keep participants home when they are sick.** A record of all screenings will be stored at each location.

- All PTC staff will be screened outside before entering the building. In case of inclement weather staff will be screened in the inside foyer. Staff are instructed to socially distance at least six feet apart as they await their turn for screening. Staff that have a temperature greater than 100.3 degrees or other signs of illness shall not be admitted into the building.
- All PTC participants that are transported by PTC will be screened before entering PTC vehicles. All PTC participants must give a signed/dated PTC screening questionnaire to the driver before entering the vehicle (page 5). Participants that have a temperature greater than 100.3 degrees or other signs of illness shall not be admitted into the vehicle.
- All PTC participants that are transported in non PTC vehicles will be screened either in their vehicle or outside before entering the building. In case of inclement weather participants will be screened in the inside foyer. Participants are instructed to socially distance at least six feet apart as they await their turn for screening. All PTC participants must have a signed/dated screening questionnaire in order to be admitted into the building (page 5). Participants that have a temperature greater than 100.3 degrees or other signs of illness shall not be admitted into the building. ** If the vehicle they were transported in is not able to return them home, PTC participants will wait in a designated isolation space for caregiver pick up. Caregiver pickup must occur within 60 minutes of notification.

*** When a temperature reading greater than 100.3 is recorded, an individual will have their temperature immediately retaken to confirm the reading. If the temperature remains above 100.3, the individual will be allowed five minutes to cool down before a third temperature reading is taken. If the third temperature reading remains higher than 100.3, the individual will not be allowed to enter the building. If the third temperature reading is below 100.3, a fourth temperature reading must be given to confirm the previous reading. With confirmation the individual may enter the building.*

Individuals attending PrimeTime Center in-person who meet the following criteria before or during screening, or develop these symptoms after starting day program, will be promptly isolated and excluded from PTC facilities for at least 10 days from symptom onset, **OR** until they receive an alternate diagnosis from a healthcare provider **OR** a negative COVID-19 test result. **If a caregiver identifies these symptoms they shall follow this guidance and not send the person to day program:**

- At least two of the following symptoms: fever, chills, shivers, muscle aches, headache, sore throat, nausea, vomiting, diarrhea, fatigue, congestion or runny nose; **OR**
- At least one of the following symptoms: cough, shortness of breath, difficulty breathing, new smell disorder and/or new taste disorder

This guidance has been adapted from the New Jersey Department of Health COVID-19 Guidance for Reopening Childcare and was adopted by DDD on October 29, 2020.

Visitation within each center will be strictly limited during operating hours with the exception of medical emergency or law enforcement personnel in their official capacity or personnel from the Department of Human Services or Division of Developmental Disabilities. With the exception of an emergency situation, all visitors shall be required to undergo screening prior to entry and will be required to wear a face covering and maintain proper social distancing at all times. Any visitors that have a temperature greater than 100.3 degrees or show other signs of illness shall not be admitted into the building. All visitors allowed to enter will be required to wear a face covering. If a visitor refuses to wear a face covering they will be denied entry into PrimeTime Center. Routine or Annual meetings with support coordinators should take place virtually until further notice. Persons providing maintenance or repair services, prospective admissions, prospective employees, entertainers or speakers, and third-party therapists or service providers shall be required to visit the facility after operating hours.

COVID-19 Daily Screening Questionnaire

1. In the past 24 hours, have you experienced any of the following symptoms: fever or chills, cough, shortness of breath or difficulty breathing, fatigue, muscle or body aches, headache, new loss of taste or smell, sore throat, congestion or runny nose, sneezing, nausea or vomiting, diarrhea. Updated list of symptoms available at www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html.

YES ☐ NO ☐

2. In the past 24 hours have you had a temperature over 100.4 degrees and/or taken any fever reducing medication?

YES ☐ NO ☐

3. In the past 14 days have you been in close contact with anyone who has tested positive for COVID-19? (*Close contact is defined as being within 6 feet of an infected person for a cumulative total of 15 minutes or more over a 24-hour period starting from 2 days before illness onset until the time the patient is isolated.*) Please note that if close contact was solely due to continuing care for an infected individual in the residence or other healthcare setting and appropriate PPE was worn during that encounter, answering yes to this question does not preclude a staff person from working unless they exhibit symptoms.

YES ☐ NO ☐

4. In the past 14 days have you travelled outside of New Jersey to any area subject to a level 3 CDC Travel Health Notice or to a U.S. state with significant COVID-19 spread, as identified by the New Jersey Department of Health?

CDC Travel Notices: www.cdc.gov/coronavirus/2019-ncov/travelers/index.html

NJ DOH travel advisory information: <https://covid19.nj.gov/travel>

YES ☐ NO ☐

HEALTH & SAFETY

For the foreseeable future all PrimeTime Center locations will limit daily attendance to their programs to 25% capacity. Procedures shall be implemented to prevent crowding at pick up and drop off times to prohibit an excess number of people in any entry vestibule/pick up area in excess of the number that can be accommodated with at least 6 feet of distance between persons. Parents and transportation providers will not be allowed into any PTC program during this time.

PrimeTime Center will maintain hand sanitizing stations with alcohol based hand sanitizer in every classroom, at designated entrances/exits and other locations throughout each building. Although PrimeTime Center will have hand sanitizer widely available throughout each of the program buildings, participants are encouraged to bring their own hand sanitizer while attending program. All hand sanitizer should contain at least 60% alcohol content.

PrimeTime Center staff/participants will be required to wash their hands for at least 20 seconds at regular intervals throughout the day including upon arrival, before eating, after spending time outside, after using the bathroom and after blowing their nose, coughing or sneezing. If hand washing with soap and water is not possible, hand sanitizer should be used.

All PTC staff members shall be required to wear face coverings that cover the nose and mouth while working with PTC participants. If a staff member refuses to wear a face covering for non-medical reasons they will be declined entry into the building. All PTC participants will be strongly encouraged to wear face coverings within each center. Exceptions to wearing a face covering include: doing so would inhibit the individual's health, an individual will be in extreme heat outdoors, an individual's documented medical condition or disability as reflected in their ISP precludes the use of face coverings. Individuals should wash their hands before putting on a face covering and/or after taking it off. Touching the front of a face covering should be avoided. Face shields are not a substitute for face coverings. If a PTC participant does wear a face shield because they cannot tolerate a face covering, it should wrap around the sides of their face and extend to below the chin. ***(In our initial phase of reopening, all participants will be required to wear a face covering.)***

All work areas will be reconfigured in order to maintain 6 feet of separation between participants. Participant desks/workstations will not face each other unless they are guarded by a physical barrier. PTC participants will be grouped into small cohorts upon arrival and will remain with that cohort for the entire day. PTC staff shall be assigned to work with a cohort and will remain with that cohort for the entire day. These steps will help with contact tracing in the event of a potential COVID-19 positive case. Groups shall not congregate less than 10 feet in all directions from other groups while in shared spaces. Close person to person contact will be strictly limited, it will be made clear to the participants that extra caution is needed throughout this pandemic. All PTC emergency procedures will be appropriately adjusted in order to maintain 6ft of social distancing.

Use of shared spaces (entry ways, hall ways, restrooms, etc.) shall be carefully controlled to ensure that PTC participants and staff maintain at least 6 feet of separation. Upon arrival participants will immediately be directed to classrooms/workstations rather than congregate in

a common area. Floor markings, physical partitions and other safeguards will be used as necessary. The use of non-essential shared spaces will be staggered with all groups maintaining, at a minimum, 10 feet of separation from each other in all directions. Sharing of offices by PTC staff members will be prohibited unless social distancing guidelines can be maintained and face coverings are worn at all times.

Until further notice all PTC kitchens will be closed and all meals and snacks will be eaten in the classroom or area where groups are regularly situated to avoid congregating in large groups. PTC participants will be required to bring in all snacks and meals from home. **When possible, meals and snacks shall not be heat ups.** PTC staff will also bring in all snacks and meals from home, external food deliveries will not be allowed for the foreseeable future. All mealtimes will be staggered to avoid congestion in communal areas. When staff are handling food, gloves must be worn and there should not be contact with food surfaces. The use of disposables such as plates, cups and utensils are deemed a best practice. Meal areas should be cleaned after use.

Field trips and other off-site activities are permissible, as long as the designated venue has been cleared to open by a Governor's Executive Order. CDC guidelines related to social distancing shall be maintained and masking may be required depending on the venue type. Field trips are best if they are within walking distance of the facility. If transportation is necessary for a field trip, all occupants of PTC vehicles must wear a face covering while in the vehicle. Documentation of outings must be maintained by the supervisor and shall include at a minimum:

- Date
- Names of all staff/participants attending
- Name & Address of venue
- Arrival and Departure Time

Sharing of food, supplies, and other high touch items will be strictly limited. Centers shall ensure adequate activity supplies to limit the need for sharing of items. Belongings shall be kept separate and sent home each day for washing. If items must be shared they shall only be used by one group at a time and will be disinfected between uses. Disinfecting items used will become a regular part of most ADL lessons.

All PTC programs will ensure adequate ventilation in each facility, including operational heating and ventilation systems. All systems use recirculated air and have a fresh air component. All air filters were recently changed in accordance with manufacturer recommendations and will be maintained on a regular basis.

TRANSPORTATION

DDD has recommended that transportation to and from day service settings be provided by caretakers for individuals living in their own homes and residential staff for individuals living in a residential setting, if the provider is not able to meet social distancing standards within their vehicles. Unfortunately, the need for transportation may limit the ability for individuals to attend day services at the point in which they are ready to do so.

PrimeTime Center will provide limited transportation to and from program based upon small groups of participants put together during the day service. The number of participants in the vehicle will be limited to one rider per every other row to maintain social distancing **All participants being transported will need to wear a face covering.** Drivers will wear face coverings at all times and will screen all participants prior to boarding any PTC vehicle. Cleaning protocols for all PrimeTime Center vehicles can be found in the next section.

If an individual is using private transportation to be transported to and from a facility, it is up to the individual/caregiver to make sure that measures are in place with the transportation company to keep everyone on the vehicle safe. Participants utilizing private transportation companies that are not taking the proper measures to keep them safe may be denied access to a PrimeTime Center facility.

CLEANING & DISINFECTING

PrimeTime Center has upgraded our cleaning processes to comply with CDC guidance and has developed a daily schedule for increased, routine cleaning and disinfecting. Routine cleaning is the everyday cleaning practices that businesses normally use to maintain a healthy environment. Cleaning does not kill germs, but by removing them, it lowers their numbers and the risk of spreading infection. Disinfecting kills germs on surfaces. By killing germs on a surface after cleaning it can further lower the risk of spreading infection. A thorough cleaning of each facility will occur every evening. The risk of exposure to cleaning staff is inherently low. Cleaning staff should wear disposable gloves for all tasks in the cleaning process, including handling trash. Cleaning staff and others should clean hands often, including immediately after removing gloves and after contact with an ill person, by washing hands with soap and water for 20 seconds. If soap and water are not available and hands are not visibly dirty, an alcohol-based hand sanitizer that contains at least 60% alcohol may be used. However, if hands are visibly dirty, always wash hands with soap and water.

PrimeTime Center shall clean, sanitize and disinfect frequently touched surfaces and objects such as door handles, light switches, sink handles, etc. multiple times per day. Cleaning shall be in accordance with the CDC guidelines for cleaning and disinfecting public spaces. Disinfecting methods shall utilize EPA approved disinfectants for use against Covid-19. For the protection of themselves and others, PTC participants and staff are expected to clean their workspace with the cleaning materials supplied at each location. Any shared objects/equipment shared between two entities will be properly cleaned and disinfected after each use. Items that individuals have placed in their mouth shall be set aside until they are cleaned by hand by a staff member wearing gloves. These objects will be cleaned with water and detergent, rinsed, sanitized with disinfectant and will air dry.

All PTC staff will be required to document the wiping down of frequently touched surfaces in their classroom/work area a minimum of three times daily including an initial cleaning before participants enter the building. Areas to be cleaned include light switches, door knobs, desk tops, cabinet handles, computer equipment, chair tops, etc. A check off sheet must be completed by all staff members including the date/time each are is cleaned.

On a weekly basis, or more often if necessary, PrimeTime Center will use an E-Mist electrostatic sprayer to sanitize each PrimeTime center location. All cleaning and disinfecting products will be safely stored away from PrimeTime Center participants.

How to Clean and Disinfect

Hard (Non-porous) Surfaces: If surfaces are dirty, they should be cleaned using a detergent or soap and water prior to disinfection. For disinfection, most common EPA-registered household disinfectants should be effective. Follow the manufacturer's instructions for all cleaning and disinfection products for concentration, application method and contact time, etc.

Additionally, diluted household bleach solutions (at least 1000ppm sodium hypochlorite) can be used if appropriate for the surface. Follow manufacturer's instructions for application, ensuring a contact time of at least 1 minute, and allowing proper ventilation during and after application. Check to ensure the product is not past its expiration date. Never mix household bleach with ammonia or any other cleanser. Unexpired household bleach will be effective against coronaviruses when properly diluted. Prepare a bleach solution by mixing: 5 tablespoons (1/3 cup) bleach per gallon of water or 4 teaspoons bleach per quart of water

Soft (Porous) Surfaces: For soft (porous) surfaces such as carpeted floor, rugs, and drapes, remove visible contamination if present and clean with appropriate cleaners indicated for use on these surfaces. After cleaning: If the items can be laundered, launder items in accordance with the manufacturer's instructions using the warmest appropriate water setting for the items and then dry items completely. Otherwise, use products that are EPA-approved for use against the virus that causes COVID-19 and that are suitable for porous surfaces.

Electronics: For electronics such as tablets, touch screens, keyboards, remote controls, and ATM machines, remove visible contamination if present. Follow the manufacturer's instructions for all cleaning and disinfection products. Consider use of wipe able covers for electronics. If no manufacturer guidance is available, consider the use of alcohol-based wipes or sprays containing at least 70% alcohol to disinfect touch screens. Dry surfaces thoroughly to avoid pooling of liquids.

Linens, Clothing, and Other Laundered Items: In order to minimize the possibility of dispersing virus through the air, do not shake dirty laundry. Wash items as appropriate in accordance with the manufacturer's instructions. If possible, launder items using the warmest appropriate water setting for the items and dry items completely. Dirty laundry that has been in contact with an ill person can be washed with other people's items. Clean and disinfect hampers or other carts for transporting laundry according to guidance above for hard or soft surfaces.

When physical assistance is required for an individual's personal care needs; PTC staff can protect themselves by wearing a disposable gown or smock and by wearing long hair up off the collar. All clothes must be changed if there are secretions on it and staff shall wash their hands after changing. Staff shall change the individual's clothes if secretions are on the individual's clothes. All contaminated clothes should be placed in a plastic bag or washed in a washing machine. Areas and equipment used during assistance with personal care needs shall be cleaned and sanitized after each use.

PRIMETIME CENTER MANDATED CLEANING PROTOCOL

To assist in making sure we are cleaning areas efficiently and frequently, each PTC staff member must begin a specific daily routine of cleaning frequently touched surfaces in the classroom or work area that they are supervising. Using either EPA approved cleaning wipes or paper towels and the EPA approved professional cleaning product available, you can spray surfaces directly, or apply them to a paper towel to wipe down areas. All staff must do an initial cleaning of surfaces when they arrive, before participants enter the area. We are then asking that staff clean surfaces again after lunch as well as at the end of each day. This protocol will help supplement the cleaning being done by our building cleaning personnel. Below is a schedule so staff can document each time cleaning is done. Please check off each surface that is cleaned and record the time in the final box. These sheets will be collected each day and signed off by program administration. Thank you for your anticipated cooperation.

Surfaces that need frequent cleaning: Light switches, All Doorknobs, including the one outside your door, Computer mice and computer desk areas, Desk tops, Chairs, Classroom phone, Handles of classroom cabinets, Edges and back of any tablets (please don't put cleaning products on technology screens), Writing Tools, Supply Bins

Any other surfaces that can be safely cleaned

Doorknobs	Light Switches	Cabinet Handles	Computers Tablets	Desk Tops	Chairs	Phone	Writing Tools	Bins	Time

PRIMETIME CENTER MANDATED VEHICLE CLEANING PROTOCOL

To assist in making sure we are cleaning areas efficiently and frequently, each PTC driver must begin a specific daily routine of cleaning frequently touched surfaces in the vehicle that they are driving. Using either EPA approved cleaning wipes or paper towels and the EPA approved professional cleaning product available, you can spray surfaces directly, or apply them to a paper towel to wipe down areas. Drivers must do a cleaning of all frequently touched surfaces at the conclusion of each use. Each PTC vehicle in use will be thoroughly cleaned and disinfected at the end of each day. All PTC drivers shall wear disposable gloves while cleaning PTC vehicles. Below is a schedule so drivers can document each time cleaning is done. Please check off each surface that is cleaned and record the time in the final box. These sheets will be collected each day and signed off by program administration. Thank you for your anticipated cooperation.

Surfaces that need frequent cleaning: Door handles, Door locks, Steering Wheel, Seat belts, Arm rests, Wiper/Turn signal levers, Shift lever, Radio, Climate controls, Center console, Cup holders, Vents, Rearview mirror, Clipboard, Pen, Keys

Any other surfaces that can be safely cleaned

Door Handles and Locks	Visors And Air Vents	Steering Wheel	Seat Belts	Arm Rests	Wiper / Turn Signal Levers	Shift Lever	Rear View Mirror	Radio/ Climate Controls	Center Console Cup Holders	Clipboard And Pen	Time

How to Clean and Disinfect after a suspected/confirmed case of Covid-19 in a PTC facility

If there is a suspected/confirmed case of Covid-19 in a PrimeTime Center building, the facility along with the County Health Department, will consider implementing a short term closure, regardless of community spread. All areas should immediately be closed off if visited by the ill person. Open outside doors and windows and/or use ventilating fans to increase air circulation in the area. Wait 24 hours or as long as practical before beginning cleaning and disinfecting procedures. Staff should clean and disinfect all areas used by the ill person following the procedures listed above, focusing especially on frequently touched surfaces. Staff and participants can return to the area immediately after disinfection is complete.

Cleaning and Disinfecting of PTC vehicles

PrimeTime Center will ensure that cleaning and disinfecting procedures are followed consistently and correctly, including the provision of adequate ventilation when chemicals are in use. Doors and windows should remain open when cleaning the vehicle. When cleaning and disinfecting staff will wear disposable gloves compatible with the cleaners being used.

PrimeTime Center will clean and disinfect commonly touched surfaces, such as door handles, at the end of each run. For hard non-porous surfaces within the interior of the vehicle such as hard seats, armrests, door handles seat belt buckles, etc. detergent or soap and water will be used if the surfaces are visibly dirty, prior to disinfectant application. For disinfection of hard, non-porous surfaces, staff will use EPA appropriate disinfectants and will follow the manufacturer's instructions for concentration, application method and contact time. For soft or porous surfaces such as fabric seats, staff will clean with appropriate cleaners indicated for use on these surface. Staff will clean frequently touched electronic surfaces, such as touch screens, with alcohol based wipes or sprays containing at least 70% alcohol to disinfect. Each PTC vehicle in use will be thoroughly cleaned and disinfected at the end of each day.

All PTC staff shall wear disposable gloves while cleaning PTC vehicles. Gloves and any other disposable PPE used for cleaning and disinfecting the vehicle will be removed and disposed of when cleaning has ended. Staff will wash their hands immediately after removal of gloves and PPE with soap and water for at least 20 seconds or use an alcohol based hand sanitizer with at least 60% alcohol if soap and water are not available.

EXPOSURE/REPORTING

The health of PTC participants, staff and families is always a top priority. PrimeTime Center is closely monitoring all updates regarding the Coronavirus (COVID-19) from the CDC (Centers for Disease Control) and the New Jersey Department of Health and Human Services. **We currently ask all PTC staff members and participants to stay home if they are not feeling well. If a staff member/participant has been exposed or come into close contact (CDC defines close contact as a person that has been within six feet of an infected person for a prolonged period of time) with a person diagnosed with Covid-19, they should immediately report that information to the program supervisor and begin a self-quarantine for a period of 14 days.**

To ensure the safety and wellbeing of all staff and participants, PrimeTime Center has put the following guidelines in place to handle any reports of a positive Covid-19 test result in a manner that protects all stakeholders confidentially, minimizing risk to others and maximizing business continuity. At all times, measures will be taken to prevent transmission of the virus. Such measures include social distancing, physical barriers, PPE, hand washing and a comprehensive system of cleaning and disinfecting. Privacy will be protected to the greatest extent possible.

If a PTC participant or staff member develops symptoms of COVID-19 while at a PrimeTime Center facility (e.g. fever of 100.4 or higher, cough, shortness of breath), they will immediately be separated from everyone until they are able to leave the facility. A designated space will be used for the individual to wait in isolation. PTC staff waiting with that individual should remain as far away as safely possible from the individual (preferably, 6 feet). If symptoms persist or worsen, PTC staff should call a health care provider for further guidance. The caregiver picking the individual up shall be advised to contact a healthcare professional and have them evaluated for COVID-19. **If the individual presented with a fever of over 100.4 and other symptoms, PrimeTime Center will require a negative test for COVID-19 and a doctor's note before they are able to return.** Any symptomatic individual shall inform their program supervisor immediately if the person is diagnosed with COVID-19.

Any areas and equipment used by a symptomatic individual will be cleaned and disinfected in accordance with CDC guidance referenced above. PTC facilities uncertain about the extent of potential exposure shall clean and sanitize all rooms and equipment.

Any program supervisor made aware of a Covid-19 positive case in their facility will contact their local health department for guidance as well as notify staff and participants/caregivers of a positive case, if they have been in close contact (within 6 feet for 10 minutes or more) with that person. Health officials will provide direction on whether a center should cease operations following the identification of a positive case in the facility.

Middlesex County Office of Health Services
35 Kennedy Boulevard
East Brunswick NJ 08816
(732) 745-3100

Monmouth County Health Department
50 east Main Street
Freehold NJ 07728
(732) 431-7456

Ocean County Health Department
175 Sunset Avenue
Toms River NJ 08754-2191
(800) 342-9738
(732)341-9700

The following requirements are currently in effect for reporting Covid-19 related events involving DDD programs and individuals. PrimeTime Center shall report any of the following as a Medical event (communicable disease):

- An individual receiving DHS services has symptoms of, is undergoing testing for, or is confirmed positive for Coronavirus Disease 2019 (COVID-19).
- The family member of an individual receiving DHS services was in contact with the individual in the past 14 days, and the family member is confirmed positive for COVID-19.
- An agency employee was in direct contact with an individual receiving services from DHS in the past 14 days, and the employee is confirmed positive for COVID-19.
- The family member of an agency employee was in contact with the employee in the past 14 days, and the employee's family member is confirmed positive for COVID-19.

For any reportable event listed above, PrimeTime Center is required to ensure all identified participants/guardians are appropriately notified, in keeping with DHS policies for ensuring notification and confidentiality.

Department and Division staff (Critical Incident Management Unit—CIMU, DDD Office of Risk Management—ORM, DDD Facility Quality Assurance Staff—QA, and DMHAS QA) are available by email or phone to assist with questions and concerns for matters related to incident reporting, per the following contact information:

*DDD Office of Risk Management (ORM)/IR (Incident Report) Unit Supervisor
Ivy Lipton: 609-633-7782 ORM Fax: 609-341-2343 | Email: DDD-CRL.UIRS@dhs.state.nj.us
Counties Served: Hunterdon, Mercer, Middlesex, Monmouth, Morris, Ocean, Sussex, Warren*

Critical Incident Management Unit (CIMU) Supervisor Contacts: Keith Joslin, Supervisor: 609-292-4482 (DDD Community)

Incident Verification Unit: Annette Cavallaro, Chief: 609-984-5479

*DDD CIMU Admin Review: dhs.cimadmin@dhs.nj.gov Fax number: 609-777-2082
DMHAS CIMU Admin Review: dhs.mhscimadmin@dhs.nj.gov Fax number: 609-341-226*

Re-Admittance

If a PTC staff member or participant is excluded for any COVID-19 symptoms and it has been determined that they have not had any close contact exposure, they may return to their facility according to the following guidelines:

- 24 hours fever free with no use of fever reducing medications **AND**
- Symptoms continue to improve **AND**
- 10 days after start of first symptoms **OR** a doctor's clearance stating the symptoms are otherwise explained

When a PTC staff member or participant contracts or is exposed to COVID-19, they cannot return to their facility until the CDC time based strategy for lifting transmission based precautions and home isolation have been met. **All individuals returning to program are required to have a doctor's note clearing them to return to program.**

The time-based strategy for those who have COVID-19 requires:

- 24 hours have passed since resolution of fever without use of fever reducing medication
AND
- Improvement in respiratory symptoms (e.g., cough, shortness of breath)
AND
- At least 10 days have passed since symptoms first appeared or since first positive COVID-19 viral diagnostic test if individual has remained asymptomatic

VIRTUAL SERVICES

All PrimeTime Center locations will continue to offer virtual services, in conjunction with in-person services, for the duration of the pandemic. *PTC participants may access virtual services on days that they do not receive in-person services at a PTC facility.* All virtual services must be pre authorized in a participant's ISP before they can begin receiving services. All PTC participants are encouraged to attend virtual services on days they cannot attend in-person.

TRAINING & EDUCATION

All PrimeTime Center staff will be trained on all policies and procedures related to COVID-19 prior to re-opening of all program facilities. Training related to COVID-19 will detail facility considerations, operational considerations, social distancing considerations, infection control protocols, proper disinfection procedures, proper use of PPE, etc.

All PTC employees with reasonably anticipated occupational exposure to COVID-19 will be trained about the sources of exposure to the virus, the hazards associated with that exposure, and appropriate workplace protocols in place to prevent or reduce the likelihood of exposure. Training will include information about how to isolate individuals with suspected or confirmed COVID-19 or other infectious diseases, and how to report possible cases. PTC staff required to use PPE will receive training which includes when to use PPE; what PPE is necessary; how to properly don (put on), use, and doff (take off) PPE; how to properly dispose of or disinfect, inspect for damage, and maintain PPE; and the limitations of PPE.

PrimeTime Center will also educate program participants on all policies and procedures related to COVID-19 upon reopening and will update participants on an ongoing basis after opening. Education related to COVID 19 will cover changes to our facilities, daily operations, social distancing, hygiene and infection control, communication and infection protocols and proper use of PPE.

PTC staff will teach and reinforce washing hands and covering coughs and sneezes among participants. They shall teach and reinforce use of cloth face coverings among participants and staff, where appropriate. Face coverings are most essential at times when social distancing is not possible. Participants will be frequently reminded not to touch their face covering and to wash their hands frequently.

PTC participants shall practice frequent hand washing with soap and water for at least 20 seconds, and shall be required to wash their hands upon arriving at the center, when entering the classroom, before meals or snacks, after outside time, after going to the bathroom, and prior to leaving for home.

IMPORTANT DOCUMENTS

The Division of Developmental Disabilities has released several documents so that each PTC participant can make an informed choice about returning to in-person day services. Areas of importance for individuals, families and guardians are the **Individual Needs and Risk Assessment** and **Receipt of COVID-19 Information Form**. Both documents contain helpful information from the CDC related to the spread, exposure, risk and prevention of COVID-19. The assessment also outlines situational and behavioral risk factors that must be considered when making this important decision. PrimeTime Center is required to maintain both forms on site at each of their facilities. These forms will be subject to audit by DDD at any time. Each form must be signed by the participant (or their guardian if they have one) before they return to in-person congregate day services.

In addition to the paperwork mentioned above. If any participants are missing updated paperwork such as emergency forms, strategy sheets, medication paperwork, etc. they will not be able to attend in person services until the updated paperwork is submitted.

PRIMETIME CENTER COVID -19 POLICY SIGN OFF

My signature acknowledges that I have read the PrimeTime Center COVID-19 Policy and Procedure Manual and understand its contents. All of my questions and concerns have been addressed by PrimeTime Center administration.

Signature of PrimeTime Center Staff Member

Date

Signature of PrimeTime Center Participant

Date

Signature of Guardian/Caregiver

Date

What is a novel coronavirus?

Coronaviruses are a family of viruses that cause respiratory infections. Sometimes a new (referred to as “novel”) coronavirus begins causing infections in humans. When a new coronavirus emerges, it is referred to as a novel (meaning “new”) coronavirus. The virus that causes COVID-19 is a novel coronavirus that began infecting humans in 2019. Health experts are concerned when a novel coronavirus emerges because they are unpredictable and people have no immunity to them.

How does COVID-19 spread?

Health experts are still learning the details about how this new coronavirus, COVID-19 spreads. The virus is thought to spread mainly from person to person:

- Between people who are in close contact with one another (within about 6 feet) by respiratory droplets produced when a person coughs or sneezes. These droplets can land in the mouths or noses of people who are nearby or possibly be inhaled into the lungs.
- Close personal contact, such as touching or shaking hands.
- Touching an object or surface with the virus on it, then touching your mouth, nose, or eyes.
- In rare cases, it may be possible, by contact with feces (poop).

How severe is novel coronavirus?

Health experts are still learning about the illness caused by the new virus. People infected have had illness that has ranged from mild (like a common cold) to severe pneumonia that requires medical care in a hospital. So far, deaths have been reported mainly in older adults and people who had other health conditions.

What are the symptoms?

People who have been diagnosed with COVID-19 have symptoms that may appear in as few as two days or as long as 14 days after exposure to the virus. Symptoms may include fever, cough, and shortness of breath.

- | | |
|------------------------------|------------------------------|
| • Fever | • Muscle pain |
| • Cough | • Headache |
| • Shortness of breath | • Sore throat |
| • Chills, shivering | • New loss of taste or smell |
| • Nausea, vomiting, diarrhea | • Stuffy or runny nose |

How can I prevent getting novel coronavirus?

Steps you can take to prevent spread of flu and the common cold will also help prevent COVID-19:

- Clean your hands often, either with soap and water for 20 seconds or a hand sanitizer that contains at least 60% alcohol.
- Avoid close contact with people who are sick.
- Stay at home as much as possible.
- Put distance between yourself and other people (at least 6 feet).
- Cover your mouth and nose with a cloth face cover when around others.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash.
- Clean and disinfect frequently touched objects and surfaces daily.

Currently there are no vaccines available to prevent COVID-19 infections.



How is novel coronavirus treated?

There is no specific treatment for COVID-19. Most people with mild COVID-19 illness will recover on their own by drinking plenty of fluids, resting, and taking pain and fever medications. However, some people develop pneumonia and need medical care or treatment in a hospital.

Stay home except to get medical care. People who are mildly ill with COVID-19 are able to isolate themselves at home while they are sick. You should not be out in the community, except to get medical care if needed. Do not go to work, school, or public areas. Avoid using public transportation, ride-sharing, or taxis.

Separate yourself from others in your home as much as possible if you are sick. Stay in a specific room away from others. Use a separate bathroom if possible.

For more information: <https://www.nj.gov/health/cd/topics/ncov.shtml>

Follow us on social media!

Twitter @njdeptofhealth

Facebook/njdeptofhealth

Instagram@njdeptofhealth

**The NJ Poison Control Center and 211
have partnered with the State to provide
information to the public on COVID-19:**

Call 2-1-1

Call 1-800-962-1253

What you should know about COVID-19 to protect yourself and others



Know about COVID-19

- Coronavirus (COVID-19) is an illness caused by a virus that can spread from person to person.
- The virus that causes COVID-19 is a new coronavirus that has spread throughout the world.
- COVID-19 symptoms can range from mild (or no symptoms) to severe illness.



Know how COVID-19 is spread

- You can become infected by coming into close contact (about 6 feet or two arm lengths) with a person who has COVID-19. COVID-19 is primarily spread from person to person.
- You can become infected from respiratory droplets when an infected person coughs, sneezes, or talks.
- You may also be able to get it by touching a surface or object that has the virus on it, and then by touching your mouth, nose, or eyes.



Protect yourself and others from COVID-19

- There is currently no vaccine to protect against COVID-19. The best way to protect yourself is to avoid being exposed to the virus that causes COVID-19.
- Stay home as much as possible and avoid close contact with others.
- Wear a mask that covers your nose and mouth in public settings.
- Clean and disinfect frequently touched surfaces.
- Wash your hands often with soap and water for at least 20 seconds, or use an alcohol-based hand sanitizer that contains at least 60% alcohol.



Practice social distancing

- Buy groceries and medicine, go to the doctor, and complete banking activities online when possible.
- If you must go in person, stay at least 6 feet away from others and disinfect items you must touch.
- Get deliveries and takeout, and limit in-person contact as much as possible.



Prevent the spread of COVID-19 if you are sick

- Stay home if you are sick, except to get medical care.
- Avoid public transportation, ride-sharing, or taxis.
- Separate yourself from other people and pets in your home.
- There is no specific treatment for COVID-19, but you can seek medical care to help relieve your symptoms.
- If you need medical attention, call ahead.



Know your risk for severe illness

- Everyone is at risk of getting COVID-19.
- Older adults and people of any age who have serious underlying medical conditions may be at higher risk for more severe illness.



Prevent the spread of COVID-19 if you are sick

Accessible version: <https://www.cdc.gov/coronavirus/2019-ncov/if-you-are-sick/steps-when-sick.html>

If you are sick with COVID-19 or think you might have COVID-19, follow the steps below to care for yourself and to help protect other people in your home and community.

Stay home except to get medical care.

- **Stay home.** Most people with COVID-19 have mild illness and are able to recover at home without medical care. Do not leave your home, except to get medical care. Do not visit public areas.



- **Take care of yourself.** Get rest and stay hydrated. Take over-the-counter medicines, such as acetaminophen, to help you feel better.

- **Stay in touch with your doctor.** Call before you get medical care. Be sure to get care if you have trouble breathing, or have any other emergency warning signs, or if you think it is an emergency.

- **Avoid public transportation, ride-sharing, or taxis.**

When to Seek Emergency Medical Attention

Look for **emergency warning signs*** for COVID-19. If someone is showing any of these signs, **seek emergency medical care immediately:**

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion
- Bluish lips or face
- Inability to wake or stay awake

*This list is not all possible symptoms. Please call your medical provider for any other symptoms that are severe or concerning to you.

Call 911 or call ahead to your local emergency facility:
Notify the operator that you are seeking care for someone who has or may have COVID-19.

Separate yourself from other people and pets in your home.

- As much as possible, stay in a specific room and away from other people and pets in your home. Also, you should use a separate bathroom, if available. If you need to be around other people or animals in or outside of the home, wear a mask.



- See COVID-19 and Animals if you have questions about pets: <https://www.cdc.gov/coronavirus/2019-ncov/faq.html#COVID19animals>
- Additional guidance is available for those living in close quarters: (<https://www.cdc.gov/coronavirus/2019-ncov/daily-life-coping/living-in-close-quarters.html>) and shared housing (<https://www.cdc.gov/coronavirus/2019-ncov/daily-life-coping/shared-housing/index.html>)

Call ahead before visiting your doctor.

- **Call ahead.** Many medical visits for routine care are being postponed or done by phone or telemedicine.
- If you have a medical appointment that cannot be postponed, call your doctor's office, and tell them you have or may have COVID-19.



If you are sick, wear a mask over your nose and mouth.

- You should wear a mask over your nose and mouth if you must be around other people or animals, including pets (even at home).
- You don't need to wear the mask if you are alone. If you can't put on a mask (because of trouble breathing for example), cover your coughs and sneezes in some other way. Try to stay at least 6 feet away from other people. This will help protect the people around you.
- Masks should not be placed on young children under age 2 years, anyone who has trouble breathing, or anyone who is not able to remove the mask without help.



Note: During the COVID-19 pandemic, medical grade facemasks are reserved for healthcare workers and some first responders. You may need to make a mask using a scarf or bandana.

Monitor your symptoms.

- Symptoms of COVID-19 include fever, cough, and shortness of breath but other symptoms may be present as well.
- Follow care instructions from your healthcare provider and local health department. Your local health authorities will give instructions on checking your symptoms and reporting information.



cdc.gov/coronavirus

Cover your coughs and sneezes.

- Cover your mouth and nose with a tissue when you cough or sneeze.
- Throw used tissues in a lined trash can.
- Immediately wash your hands with soap and water for at least 20 seconds. If soap and water are not available, clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol.



Clean your hands often.

- Wash your hands often with soap and water for at least 20 seconds. This is especially important after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.
- Use hand sanitizer if soap and water are not available. Use an alcohol-based hand sanitizer with at least 60% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry.
- Soap and water are the best option, especially if your hands are visibly dirty.
- Avoid touching your eyes, nose, and mouth with unwashed hands.



Avoid sharing personal household items.

- Do not share dishes, drinking glasses, cups, eating utensils, towels, or bedding with other people in your home.
- Wash these items thoroughly after using them with soap and water or put them in the dishwasher.



Clean all "high-touch" surfaces everyday.

- Clean and disinfect high-touch surfaces in your "sick room" and bathroom. Let someone else clean and disinfect surfaces in common areas, but not your bedroom and bathroom.
- If a caregiver or other person needs to clean and disinfect a sick person's bedroom or bathroom, they should do so on an as-needed basis. The caregiver/other person should wear a mask and wait as long as possible after the sick person has used the bathroom.



High-touch surfaces include phones, remote controls, counters, tabletops, doorknobs, bathroom fixtures, toilets, keyboards, tablets, and bedside tables.

- Clean and disinfect areas that may have blood, stool, or body fluids on them.

- Use household cleaners and disinfectants. Clean the area or item with soap and water or another detergent if it is dirty. Then use a household disinfectant.

- Be sure to follow the instructions on the label to ensure safe and effective use of the product. Many products recommend keeping the surface wet for several minutes to ensure germs are killed. Many also recommend precautions such as wearing gloves and making sure you have good ventilation during use of the product.

- Most EPA-registered household disinfectants should be effective.

When You Can be Around Others After You Had or Likely Had COVID-19

When you can be around others (end home isolation) depends on different factors for different situations.



- I think or know I had COVID-19, and I had symptoms

- You can be with others after

- 24 hours with no fever

AND

- Symptoms improved

AND

- 10 days since symptoms first appeared

- Depending on your healthcare provider's advice and availability of testing, you might get tested to see if you still have COVID-19. If you will be tested, you can be around others when you have no fever, symptoms have improved, and you receive two negative test results in a row, at least 24 hours apart.

- I tested positive for COVID-19 but had no symptoms

- If you continue to have no symptoms, you can be with others after:

- 10 days have passed since test

- Depending on your healthcare provider's advice and availability of testing, you might get tested to see if you still have COVID-19. If you will be tested, you can be around others after you receive two negative test results in a row, at least 24 hours apart.

- If you develop symptoms after testing positive, follow the guidance above for "I think or know I had COVID, and I had symptoms."

COVID-19 FAMILY FACT SHEET

COVID-19 has presented many new rules and challenges for families throughout New Jersey. Below are some of the more frequently requested and accessed resources. Updates will be made regularly.

COVID-19

- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.

Healthcare

- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.

Rent/Mortgage/Utilities

- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.

Basic Needs

- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.

Employment

- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.

Family Support Services

- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.
- For more information on COVID-19, visit the [NJ Department of Health COVID-19 Information and Resources](#) page.



Date of Completion or Date of Last Update: Click or tap here to enter text.

Individual Name: Click or tap here to enter text.

(This section will Auto Populate)



New Jersey Department of Human Services

Division of Developmental Disabilities

Individual Needs and Risk Assessment

As New Jersey prepares to reopen congregate day services, providers need to assess their ability to meet Federal and State guidance for COVID-19 preparedness and individuals, families and guardians need to assess whether they elect to return to congregate day services.

The Division of Developmental Disabilities (Division) is asking all day service providers to reach out to the individuals they serve/served, families/guardians and/or caretakers to complete this survey **together** in order to provide information that will assist the provider to develop their reopening plan and the family in their decision making.

It is expected that since guidelines are likely to change during this pandemic, the conversation facilitated by this tool will be ongoing and that the individual, family/guardian, caretaker, and provider decisions may change as plans move forward. If choices previously shared by the individual and/or guardian change, they must communicate this to the provider.

This assessment is part of a three-pronged approach to ensure the reopening of congregate day services occurs in a manner that is as safe as possible and reduces COVID risk. Accompanying documents that should be reviewed prior to completing this assessment are:

- [Facility Readiness Tool](#)
- [Congregate Day Program Re-Opening Requirements](#)

Before any return to a congregate day service the individual or guardian (if they have one) will need to review and sign the [Receipt of COVID-19 Information Form](#). This contains important information on the transmission, risk and prevention of COVID-19.

Date of completion or date of last update: Click or tap here to enter text.

Individual Name: Click or tap here to enter text.

Individual's Age: Click or tap here to enter text.

Individual's Contact Number: Click or tap here to enter text.

Individual's Address: Click or tap here to enter text.

Family/Residential Provider Providing Info: Click or tap here to enter text.

Email: Click or tap here to enter text.

Phone: Click or tap here to enter text.

Day Provider Completing Form (name & title): Click or tap here to enter text.

Email: Click or tap here to enter text.

Phone: Click or tap here to enter text.

Which best describes your living arrangement?

☐ Own Home

☐ At Home with Family

☐ Residential Provider

Date of Completion or Date of Last Update: Click or tap here to enter text.

Individual Name: Click or tap here to enter text.

(This section will Auto Populate)

In order to make an informed choice related to the return to congregate day services, it is important that the individual and their guardian (if they have one) are aware of how COVID-19 is spread, how to reduce the risk of getting COVID-19, and who may be at greater risk of getting sick. Information in this document related to COVID-19 is taken from Centers for Disease Control and Prevention^{1,2} (CDC) to assist in this effort.

How COVID-19 Spreads

The best evidence to date is that COVID spreads mainly through person to person, through respiratory droplets produced when infected person coughs, sneezes, or talks. These droplets can land in mouths or noses of people who are nearby or possibly be inhaled into the lungs. COVID-19 is more likely to spread between people who are in close contact with one another (within about 6 feet). It may also be possible that people can get COVID-19 by touching a surface or object that has the virus on it and then touching their own mouth, nose, or possibly their eyes.

How to Reduce the Risk of Getting COVID-19

It is especially important for people at increased risk of severe illness from COVID-19, and those who live with them, to protect themselves from getting the virus. The best way for someone to protect themselves and help reduce the spread of COVID-19 is to:

- Stay home when you are sick.
- Maintain six feet social distancing from others and limit interactions with others as much as possible.
- Wash hands frequently.
- Wear face coverings when there is interaction with others.

Face coverings are a critical preventive measure and should be worn in public settings and when around people who don't live in the same household. They are **most** essential when social distancing is difficult. If an individual does not tolerate a face covering or it is not medically advisable to wear one, measures to reduce the risk of COVID-19 spread must occur, including social distancing, frequent hand washing, and cleaning and disinfecting frequently touched surfaces³.

Who is at Higher Risk

Everyone, regardless of disability, is at risk for being exposed to COVID-19 and getting sick. Certain populations, including those who are older or have underlying medical conditions are more likely to become severely ill, which means that they may require hospitalization, intensive care, a ventilator to help them breathe, or may even die.

Per the CDC, certain disability groups might be at an increased risk of becoming infected.

- People who have limited mobility or cannot avoid close contact with others who may be infected;
- People who have trouble understanding information or practicing measures like hand washing and social distancing;
- People who may not be able to communicate symptoms of illness.

Individuals, families, guardians, providers and other stakeholders are encouraged to review the CDC links in this document for more information.

¹ www.cdc.gov/coronavirus/2019-ncov/faq.html

² www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/people-at-increased-risk.html?CDC_AA_refVal=https%3A%2F%2Fwww.cdc.gov%2Fcoronavirus%2F2019-ncov%2Fneed-extra-precautions%2Fpeople-at-higher-risk.html

³ <https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/cloth-face-cover-guidance.html>

Date of Completion or Date of Last Update: Click or tap here to enter text.

Individual Name: Click or tap here to enter text.

(This section will Auto Populate)

Underlying Medical Conditions

The CDC relays that people of any age with the following conditions are at increased risk of severe illness from COVID-19. Please indicate if the individual is diagnosed with any of the following:

Health/Risk Factor	Check all that apply
Cancer	<input type="checkbox"/>
Chronic kidney disease	<input type="checkbox"/>
COPD (chronic obstructive pulmonary disease)	<input type="checkbox"/>
Immunocompromised state (weakened immune system) from solid organ transplant	<input type="checkbox"/>
Obesity (body mass index [BMI] of 30 or higher)	<input type="checkbox"/>
Serious heart conditions, such as heart failure, coronary artery disease, or cardiomyopathies	<input type="checkbox"/>
Sickle cell disease	<input type="checkbox"/>
Type 2 diabetes mellitus	<input type="checkbox"/>

If you indicated that one or more of the above listed health conditions exist, the individual is at increased risk of severe illness if they get sick from COVID-19.

The CDC also relays that, based on what is known at this time, people of any age with the following conditions might be at increased risk of severe illness. Please indicate if the individual is diagnosed with any of the following:

Health/Risk Factor	Check all that apply
Asthma (moderate-to-severe)	<input type="checkbox"/>
Cerebrovascular disease (affects blood vessels and blood supply to the brain)	<input type="checkbox"/>
Cystic fibrosis	<input type="checkbox"/>
Hypertension or high blood pressure	<input type="checkbox"/>
Immunocompromised state (weakened immune system) from blood or bone marrow transplant, immune deficiencies, HIV, use of corticosteroids, or use of other immune weakening medicines	<input type="checkbox"/>
Neurologic conditions, such as dementia	<input type="checkbox"/>
Liver disease	<input type="checkbox"/>
Pregnancy	<input type="checkbox"/>
Pulmonary fibrosis (having damaged or scarred lung tissues)	<input type="checkbox"/>
Smoking	<input type="checkbox"/>
Thalassemia (a type of blood disorder)	<input type="checkbox"/>
Type 1 diabetes mellitus	<input type="checkbox"/>

If you indicated that one or more of the above listed health conditions exist, the individual might be at increased risk of severe illness if they get sick from COVID-19.

Other factors that may impact the decision of the individual or their guardian (if they have one) to return to congregate day services are how the individual tolerates certain things like wearing a face covering or other behavioral areas.

Date of Completion or Date of Last Update: Click or tap here to enter text.

Individual Name: Click or tap here to enter text.

(This section will Auto Populate)

Please assess the following as it relates to the individual:

SITUATIONAL AND BEHAVIORAL RISK FACTORS	Check all that apply
The individual is unable to follow social distancing protocols (being at least six feet apart from others).	<input type="checkbox"/>
The individual is unable to tolerate wearing a face covering.	<input type="checkbox"/>
The individual is unable to tolerate wearing a face shield*.	<input type="checkbox"/>
The individual has a medical condition that would preclude them from wearing a face covering.	<input type="checkbox"/>
The individual has a medical condition that would preclude them from wearing a face shield*.	<input type="checkbox"/>
The individual requires close personal care to complete activities of daily living needs.	<input type="checkbox"/>
The individual is unable to maintain good personal hygiene.	<input type="checkbox"/>
The individual engages in self-injurious behavior.	<input type="checkbox"/>
The individual is unable to generally comply with rules during transportation.	<input type="checkbox"/>
The individual engages in behaviors that may put him/her or others at risk of getting COVID-19? (Ex. Spitting, grabbing, biting, etc.).	<input type="checkbox"/>
The individual will not allow him/herself to be screened for COVID-19.	<input type="checkbox"/>
The individual has a tendency to wander away from a group.	<input type="checkbox"/>

*It is recognized that not all individuals will tolerate a face covering or other PPE. However, caregivers should continue to encourage individuals, with guardian approval, to utilize face coverings and other PPE as appropriate and medically advisable to reduce the spread of COVID-19.

If you indicated that one or more of the above listed situational or behavioral risk factors exist, the individual **might be at increased risk of being exposed to COVID-19.**

No one can make the decision about returning to a congregate day program but the individual/guardian. After reviewing this document, consideration of risks related to COVID-19, and discussing specific questions and concerns you may have with the day services provider, which one of these statements best describes your situation?

- ☐ I want to attend full time as soon as the program reopens.
- ☐ I want to attend part time as soon as the program reopens.
- ☐ I want to attend part time **and** participate in remote/virtual activities.
- ☐ I want to participate in remote/virtual activities **only**.
- ☐ I am not comfortable returning to program but would be interested in in-home supports.
- ☐ I am not comfortable receiving any services at this time from my day provider, but would like to stay on the program roster for future program consideration.
- ☐ I want to return to day service, but would like to seek an alternate provider.

If you indicated that you would like to attend part time, how many days a week would you prefer to attend?

☐ 1 day

☐ 2 days

☐ 3 days

☐ 4 days

If you indicated you would like to participate in remote/virtual activities, please indicate availability of technology.

- ☐ I have a telephone that would allow me to participate in remote activities.
- ☐ I have internet access, an iPad or other technology that would allow me to participate in virtual activities.
- ☐ I would need technology to allow me to participate in virtual activities.

Date of Completion or Date of Last Update:	Click or tap here to enter text.
Individual Name:	Click or tap here to enter text.

(This section will Auto Populate)

When day services reopen, what would be your plans for transportation to and from the program?

- ☐ I will need transportation to and from program and understand that the challenge of social distancing during transportation may impact how quickly the service can be in place and/or the days that I will be able to attend program.
- ☐ I would be willing to provide my own transportation temporarily in order to access service as quickly as possible. *Please note that many factors will go into scheduling an individual's return to the program and being able to provide your own transportation does not guarantee that you will be able to return at your preferred schedule.

The congregate day provider may not have physical space to accept all individuals interested in immediately returning to the facility due to COVID-19 restrictions. In this instance, the day provider will relay what alternative options they may have available to the individual/guardian.

Person Completing this Form (Print): _____

Signature: _____

Date: _____

Individual Name: Click or tap here to enter text.

(This section will Auto Populate)



New Jersey Department of Human Services

Division of Developmental Disabilities

Receipt of COVID-19 Information Form

Currently, the Centers for Disease Control and Prevention^{1, 2} (CDC) provides the following information:

How COVID-19 is thought to spread

- Mainly person to person, through respiratory droplets produced when infected persons cough, sneeze, or talk.
- These droplets can land in mouths or noses of people who are nearby or possibly be inhaled into the lungs.
- Spread is more likely when people are in close contact with one another (within about 6 feet).
- It may be possible that people can get COVID-19 by touching a surface or object that has the virus on it and then touching their own mouth, nose, or possibly their eyes.

Those at risk of exposure

Everyone, regardless of disability, is at risk for being exposed to COVID-19 and getting sick. Certain populations, including those who are older or have underlying medical conditions are more likely to become severely ill, which means that they may require hospitalization, intensive care, a ventilator to help them breathe, or may even die.

People with the below medical conditions are at an increased risk for severe illness at any age:

- Cancer;
- Chronic kidney disease;
- COPD (chronic obstructive pulmonary disease);
- Immunocompromised state (weakened immune system) from solid organ transplant;
- Obesity (body mass index [BMI] of 30 or higher);
- Serious heart conditions, such as heart failure, coronary artery disease, or cardiomyopathies;
- Sickle cell disease;
- Type 2 diabetes mellitus.

Based on the information available at this time, people with the following conditions might be at an increased risk for severe illness from COVID-19:

- Asthma (moderate to severe);
- Cerebrovascular disease;
- Cystic fibrosis;
- Hypertension or high blood pressure;
- Liver disease;
- Neurologic conditions, such as dementia;
- Immunocompromised state (weakened immune system) from blood or bone marrow transplant, immune deficiencies, HIV, use of corticosteroids, or use of other immune weakening medicines.
- Pregnancy;
- Pulmonary fibrosis (damaged/scarred lung tissues);
- Smoking;
- Thalassemia (a type of blood disorder);
- Type 1 diabetes mellitus.

¹ www.cdc.gov/coronavirus/2019-ncov/faq.html

² www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/people-at-increased-risk.html?CDC_AA_refVal=https%3A%2F%2Fwww.cdc.gov%2Fcoronavirus%2F2019-ncov%2Fneed-extra-precautions%2Fpeople-at-higher-risk.html

Individual Name: Click or tap here to enter text.

(This section will Auto Populate)

Per the CDC, certain disability groups might be at an increased risk of becoming infected.

- People who have limited mobility or cannot avoid close contact with others who may be infected;
- People who have trouble understanding information or practicing measures like hand washing & social distancing;
- People who may not be able to communicate symptoms of illness.

How to reduce the risk of getting COVID-19

It is especially important for people at increased risk of severe illness from COVID-19, and those who live with them, to protect themselves from getting the virus. The best way for someone to protect himself or herself and help reduce the spread of COVID-19 is to:

- Limit your interactions with other people as much as possible.
- Take precautions to prevent getting COVID-19 when there is interaction with others.
- Wear face coverings.

Face coverings are a critical preventive measure and should be worn in public settings and when around people who don't live in the same household. They are **most** essential when social distancing is difficult. If an individual does not tolerate a face covering or it is not medically advisable to wear one, measures to reduce the risk of COVID-19 spread must occur, including social distancing, frequent hand washing, and cleaning and disinfecting frequently touched surfaces³.

Your service provider is taking precautions to lower the risk of transmission of COVID-19, but cannot entirely eliminate any risk. Your provider can relay what precautions they are taking to lower the risk of transmission. Division policies related to COVID-19 can be found at <https://nj.gov/humanservices/coronavirus.html>. If a self-directed model is being used, families are encouraged to consider risks and talk with their staff about screening and prevention strategies that may be used.

If you or someone you know has questions about COVID-19 risk, it is recommended that you consult your health care provider or contact the New Jersey Department of Health either by visiting their COVID Information Hub at <https://covid19.nj.gov/> or by calling 1-800-962-1253.

By signing this document, the individual or their legal representative acknowledges receipt of this information and will consider it in their planning.

Name of Individual (Please Type): Click or tap here to enter text.

DDDiD/MIS Number: Click or tap here to enter text.

Name of Legal Representative (Self or Guardian – Please Print): Click or tap here to enter text.

Signature of Legal Representative: _____

Date: _____

³ www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/cloth-face-cover-guidance.html